Petrochemical Economics

*Technology Selection in a
Carbon Constrained World*

CATALYTIC SCIENCE SERIES

Series Editor: Graham J. Hutchings (*Cardiff University*)

Published

- Vol. 1 Environmental Catalysis
edited by F. J. J. G. Janssen and R. A. van Santen
- Vol. 2 Catalysis by Ceria and Related Materials
edited by A. Trovarelli
- Vol. 3 Zeolites for Cleaner Technologies
edited by M. Guisnet and J.-P. Gilson
- Vol. 4 Isotopes in Heterogeneous Catalysis
edited by Justin S. J. Hargreaves, S. D. Jackson and G. Webb
- Vol. 5 Supported Metals in Catalysis
edited by J. A. Anderson and M. F. García
- Vol. 6 Catalysis by Gold
edited by G. C. Bond, C. Louis and D. T. Thompson
- Vol. 7 Combinatorial Development of Solid Catalytic Materials:
Design of High-Throughput Experiments, Data Analysis,
Data Mining
edited by M. Baerns and M. Holec
- Vol. 8 Petrochemical Economics: Technology Selection in a Carbon Constrained World
by D. Seddon

Petrochemical Economics

*Technology Selection in a
Carbon Constrained World*

Duncan Seddon

Duncan Seddon & Associates Pty Ltd, Australia

Published by

Imperial College Press
57 Shelton Street
Covent Garden
London WC2H 9HE

Distributed by

World Scientific Publishing Co. Pte. Ltd.

5 Toh Tuck Link, Singapore 596224

USA office: 27 Warren Street, Suite 401-402, Hackensack, NJ 07601

UK office: 57 Shelton Street, Covent Garden, London WC2H 9HE

British Library Cataloguing-in-Publication Data

A catalogue record for this book is available from the British Library.

Catalytic Science Series — Vol. 8

PETROCHEMICAL ECONOMICS

Technology Selection in a Carbon Constrained World

Copyright © 2010 by Imperial College Press

All rights reserved. This book, or parts thereof, may not be reproduced in any form or by any means, electronic or mechanical, including photocopying, recording or any information storage and retrieval system now known or to be invented, without written permission from the Publisher.

For photocopying of material in this volume, please pay a copying fee through the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA. In this case permission to photocopy is not required from the publisher.

ISBN-13 978-1-84816-534-2

ISBN-10 1-84816-534-X

Disclaimer. The materials and opinions herein are based upon publicly available information believed to be reliable, and may change without notice. The author or Publisher shall not in any way be liable for claims relating to them, and makes no express or implied representations or warranties as to their accuracy or completeness or for statements or errors contained in, or omissions from, them. The information and analyses contained herein are not intended as tax, legal or investment advice and may not be suitable for your specific circumstances; accordingly, you should consult your own tax, legal, investment or other advisors to determine such suitability. Any investment returns, past, hypothetical or otherwise, are not indicative of future performance.

Printed in Singapore.

To Joan & George

This page intentionally left blank

PREFACE

The objective of this book is to give industry professionals, engineering, research scientists and financiers an overview of the technologies and economics for the production of olefins in the petrochemical industries. The book gives an overview of the options and costs for producing olefins using different technologies and from different feedstocks at a time when the cost of carbon dioxide emissions are set to be included in the processing cost.

The book is based on a series of workshops and specialist seminars given by the author dating from 1996 in Singapore and Kuala Lumpur. The workshops focussed on production economics, improving plant profitability, feedstock supply and cost. The book is an updated and expanded version of the author's workshop notes.

The book critically compares the alternatives so that the most attractive options for petrochemical production can be identified for specific locations and conditions. For this purpose, technology capital and operating costs have been compared on the same basis (US Gulf location to a late 2007 cost base). From this, the production costs are estimated for various feedstock prices and compared to the traded prices of the products where appropriate.

The contents are widely embracing as possible for viable technologies in 2008. From time to time new technologies are identified or more information on emerging technologies become available. For brevity, the book does not cover technology still in the research and development stage. In particular, the extensive volume of material on the direct conversion of gas (methane) into ethylene has been omitted.

The text is roughly divided into two parts: the first six chapters discuss steam cracking technology and the approaches to olefin

production from hydrocarbons and the later chapters concentrate on the production economics.

Units

A technical and economic appraisal of petrochemicals spans several large subject areas: petroleum and oil industry economics, petrochemical refining and applied chemistry, chemical engineering and process economics. Unfortunately these distinct fields carry their own units. The petroleum industry generally uses American units based on standards defined at 60° Fahrenheit and are generally the units used in the US chemicals industry. Most chemists and academic engineers use S.I. units which are the most widely used units used in the European chemical industry. However, much petroleum engineering and refining technology uses a bastardised version - often mixing American and S.I. units in the same function.

The book generally employs S.I. units which the author considers to be the most widely acceptable. American units are used where appropriate. All costs are in US dollars of late 2007. Note the possibility of confusing US one thousand (M) with the S.I. Mega (M). In this work Mt is million metric tonnes and MM\$ is million US dollars.

Economic Analysis

The economic analysis follows the methodology described by the International Energy Agency for evaluating alternative feed stocks for the production of petrochemicals. Full details of the method are given in the Appendix. In summary the issue is that petrochemical technologies are highly capital intensive and some means has to be found for comparing alternatives. The method used for technology comparisons is to develop a fixed variable equation for a hypothetical green-field plant producing olefins from a given feedstock. The fixed costs of the plant are derived from published estimates of the costs of the capital items and operating costs. The operating costs can often be approximated as fixed percentages (typically 10%) of the total installed capital cost. The return

on working capital is also included in the fixed cost term. No account is taken of tax, depreciation or allowances.

This leaves the feedstock as the only variable in the fixed-variable equation:

$$P = x.F + C$$

where P is the product production cost, F is the feedstock price, x is the variable constant and C is the constant representing the fixed costs of capital and non feedstock operating costs.

The largest component of the constant C is the return on investment of the fixed capital. In order to make comparisons easier, a standardised methodology is adopted which is detailed in the Appendix. Typically process plants are assumed to take a similar (3 year) construction period to operate at full output over the project lifetime with zero residual value. The capital payback is then over this operating life.

Once the fixed variable relationships are derived the equation can be used to estimate the production cost for any given feedstock price. By comparing the estimated production cost with traded prices for the product, the viability of a particular project can be determined. By considering alternative technologies at similar feedstock prices, alternative approaches can be critically compared.

Approximations to the Economic Analysis

Reference is made to figure the Figure A below.¹ This figure illustrates the cost error for any given project as the project proceeds to completion. The error plus or minus is the error from the final cost which is only known after the project is complete.

The first stage in the project is the concept study. This involves minimal expenditure in terms of the total project cost. The error in the cost estimate ranges from about +/-25% to +/-40% of the final project cost. The primary aim of this work is to improve the approach to the concept study to achieve an error in the lower end of this range. For many occasions (e.g. for very remote or unusual locations) this may not be feasible and the errors may be as much as 100% or more.

Figure A: Error in an estimate as a function of project life

The second phase is the feasibility study. This stage may require the expenditure of 1 to 2% of the total project cost. Thus for a \$1,000 million project about \$20 million will be required. This will define the location, feedstock and product market and the technology to be used. It will also typically encompass outline regulatory approval and assessment of environmental impacts. The error in the estimate is typically not less than about $\pm 10\%$. Financiers (bankers and corporate boards) like the error to be $\pm 5\%$. This level of estimate can usually only be achieved by a FEED study.

Front-End Engineering and Design (FEED) focuses on obtaining accurate cost estimates for the major items of process equipment and further definition of the most sensitive parts of the overall project cost. It is denoted Front-End because this is performed prior to final corporate board and financial approval for the overall project. FEED costs typically 5 to 10% of the overall project cost – thus for a \$1,000 million project expenditure of about \$100 million will be required. Only after the feasibility and FEED will the cost error be in the vicinity of $\pm 5\%$. In many instances, especially for new technology or for a remote location or offshore, the error will still be in the region of $\pm 10\%$ or more.

The full engineering design, procurement and construction will also account for some error, hopefully $< 5\%$. Only when the project is completed and started and running to the design specifications is the final cost of the project known.

As the adage goes, “the accuracy of the cost estimate is proportional to the time and money expended.” Unfortunately there is a common tendency to try to shorten or circumvent the costing process, which often leads to project failure.

Data Sources

The world petrochemical industry is surveyed annually in the *Oil & Gas Journal* as the “Ethylene Report.” This is a useful source of country production, individual steam crackers (including ownership) and the feedstock used. Since 2006 US olefins and the US natural gas liquid supply and prices are each reviewed twice per year by Lippe.² Weissmehl and Arpe³ have provided an excellent description of many technologies and approaches to chemical synthesis in the chemical process industry.

In this book, wherever possible literature references are given which should be followed for further information. The *Oil & Gas Journal* articles are a useful source and these often give further references to conference proceedings and articles published in the academic literature. As well as technical articles, *Hydrocarbon Processing* produces reviews of technology on a regular basis. Nowadays, these are issued on a CD ROM and provide more details of different technologies from the various process licensors.

In the descriptions of the various technologies, several assumptions and omissions to the process flow sheets have been made in order to help understanding of the principal issues and to improve the clarity of the descriptive. If a particular technology or approach is of interest to the reader then the process licensor should be approached for the latest updates and information.

For many chemicals reporting agencies such as ICIS-LORS and Platts produce daily price and volume bulletins for subscribers. ICIS-LORS data is reported for a wide range of chemicals regularly in ICIS Chemical Business (formerly European Chemical News). Other groups such as Chemical Market Associates regularly report on global trends and prices which are often reviewed in the *Oil & Gas Journal*.⁴

Purvin & Gertz Inc. produce regular reports concerning the LPG trade. Some of these reports are reviewed in the *Oil & Gas Journal*.⁵

Oil statistics, natural gas and propane prices are readily available from the US Energy Information Administration website (www.eia.gov) which as well collating a vast amount of current and historical data offers useful links to other sites.

¹ See also P.B. McIntire, *Oil & Gas Journal*, Aug 13, 2001, p. 30

² For example D. Lippe, *Oil & Gas Journal*, Jul. 7, 2008, p. 64; *idem.*, Nov. 3, 2008, p. 54

³ K. Weissmermel and H.-J. Arpe, "Industrial Organic Chemistry", VCH Publishers, New York, 2nd edition 1993

⁴ For example M. Eramo, *Oil & Gas Journal*, Dec. 5, 2005, p. 52 and see also *ibid.*, Aug. 25, 2008, p. 48

⁵ For example W. Hart, R. Gist, K. Otto. D. Rogers, *Oil & Gas Journal*, Jun 23, 2008, p. 58

CONTENTS

Preface	vii
Chapter 1: World Ethylene Production by Steam Cracking	1
North America	2
European Union and Russia	6
Ethylene Production in the Middle East	10
Cracking Operations in the Far East	12
South America	28
Africa	28
Feedstock and Carbon Emissions	29
Chapter 2: Chemistry of Olefin Production	33
Thermodynamics of Thermal Cracking	34
Chemical Kinetics	38
Yield of Ethylene and Propylene from Lighter Feedstock	41
Thermal Cracking of Larger Molecules	43
Reaction Severity	47
Differences between Pyrolysis and Catalytic Cracking	48
Chapter 3: Gaseous Feedstocks – Production and Price	51
Gaseous Feed Stocks from Natural Gas	51
LPG from Other Sources – LPG Quality	63
Prices of Gaseous Feed Stocks	66
Chapter 4: Liquid Feedstock, Production and Price	71
Primary Refinery Operations	71
Naphtha Quality	75
Price of Naphtha and Other Liquid Feed Stocks	78

Chapter 5: Value of Products, Storage and Transport	87
Products	87
Hydrocarbon By-Products	88
Storage of LPG	96
Transport	100
Estimation of Chemical Shipping Costs	102
Chapter 6: Carbon Dioxide Emissions	109
Carbon Geo-Sequestration	109
Removal of Carbon Dioxide from Process Streams	110
Removal of Carbon Dioxide from Flue Gas	115
Strategies for Reducing Carbon Emissions	117
Geo-Sequestration	119
The Cost of Carbon Geo-Sequestration	121
ECONOMIC ANALYSIS	123
Chapter 7: Ethane Cracking	125
Feed Requirements and Thermal Efficiency	128
Ethylene Production Costs From Ethane	131
Carbon Emissions from Ethane Cracking	141
Chapter 8: LPG Cracking	145
Basic Chemistry of LPG Cracking	145
Economics of Propane Cracking	147
Economics of Butane Cracking	152
Isobutane Cracking	155
Carbon Dioxide Emissions in LPG Cracking	156
Chapter 9: Liquid Feedstock Cracking	159
Economics of Naphtha Cracking	161
Gas Oil Cracking	171
Carbon Emissions from Naphtha and LSWR Cracking	175
Chapter 10: Other Routes to Olefins from Hydrocarbons	179
Fluid Cat-Cracking (FCC)	179

Catalytic Cracking to Produce Ethylene	185
Catalytic Dehydration of Paraffin to Light Olefins	187
Olefin Metathesis	194
Catalytic Dehydration of Ethanol	195
Carbon Emissions from Propane Dehydrogenation	198
 Chapter 11: Routes to Olefins from Coal	 201
Coal to Olefins – Current Technology	202
Economics of Olefin Production from Coal and Gas	219
Coal to Acetylene and Olefins	222
Carbon Emissions for Gas and Coal to Olefins	223
 Chapter 12: Closing Remarks	 225
Production Economics	225
Carbon Emissions	226
Catalyst Issues	228
 APPENDICES	 229
A1: Abbreviations and Unit Equivalents	231
A2. Some Useful Conversion Factors for Fuels and Products ..	233
A3. Cost of Utilities	235
A4. Nelson-Farrar Cost Indices	235
A5. Location Factors	237
A6. Methodology for Economic Analysis	237
A7. Indexed Feedstock Costs	243
 Index	 247