ELECTROMAGNETIC ANALYSIS USING TRANSMISSION LINE VARIABLES

This page is intentionally left blank

ELECTROMAGNETIC ANALYSIS USING TRANSMISSION LINE VARIABLES

Maurice Weiner

United Silicon Carbide, New Jersey

World Scientific

Singapore • New Jersey • London • Hong Kong

Published by

World Scientific Publishing Co. Pte. Ltd.

P O Box 128, Farrer Road, Singapore 912805

USA office: Suite 1B, 1060 Main Street, River Edge, NJ 07661

UK office: 57 Shelton Street, Covent Garden, London WC2H 9HE

British Library Cataloguing-in-Publication Data

A catalogue record for this book is available from the British Library.

ELECTROMAGNETIC ANALYSIS USING TRANSMISSION LINE VARIABLES

Copyright © 2001 by World Scientific Publishing Co. Pte. Ltd.

All rights reserved. This book, or parts thereof, may not be reproduced in any form or by any means, electronic or mechanical, including photocopying, recording or any information storage and retrieval system now known or to be invented, without written permission from the Publisher.

For photocopying of material in this volume, please pay a copying fee through the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA. In this case permission to photocopy is not required from the publisher.

ISBN 981-02-4438-X

Printed in Singapore by World Scientific Printers

To Carole, Tammy, Josh, and Steve

This page is intentionally left blank

Preface

Over the past one hundred years or so, we have witnessed remarkable progress in expanding the frontiers of scientific knowledge. During this scientific journey, researchers have discerned many trends and themes. One of the most important of these has been the relentless preference of nature to discretize. Whether we look to the biological sciences and the double helix, or the quantization of electromagnetic energy, or the existence of quarks in particle physics, it appears nature loves to count, to compartmentalize, and to express all phenomena in terms of some sort of unit. With its virtually limitless capacity to control vast arrays of such individual elements, nature has endowed us with an amazing range of materials, life forms, and variegated phenomena.

Nature's affinity for using fundamental building blocks is not the whole story, however. Its capability in the realm of the infinitesimal is superseded by its incredible ability to synthesize, to derive function, and to obtain meaning from among these immense arrays of discretized elements, whether they be material units or bits of information. Nature indeed is the supreme "system engineer". An oft cited analogy is that drawn from certain impressionistic paintings. If looked at very closely, a limited portion of the painting appears as nothing more than a random collection of colored dots. Looked at from a distance, however, the painting takes on meaning and substance.

We therefore can think of nature as providing us with two viewpoints. One reflects a fundamental, building block perspective, and the other a cooperative phenomenon, which ties together the discrete elements, and in so doing gives rise to form, function, and meaning. These viewpoints are of course simplifications but nevertheless useful ones. The examples in nature are boundless: a nugget of coal consists of 10^{23} atoms or so, an organism consists of many cells, and so forth. By themselves these basic units are usually unrecognizable; together these elements create new meaning. The designation of the building block is to some degree a matter of choice of course. The coal atoms consist of atomic as well as sub-atomic particles; the latter are not as useful in understanding the chemistry of coal and we therefore choose to ignore these units. On the other hand, we

perceive atomic particles as having a decisive influence on the chemical properties.

Throughout the past century we have developed countless theories, many (but not all) of them containing fundamental units, or “building blocks”, to help us understand natural phenomena. We have demanded of these theories self consistency, and of course the capability to explain known phenomena as well as to *predict* new phenomena. We have also insisted that they be consistent with other predictive theories. If the theory contained building blocks we have insisted that these units explain larger scale phenomena. In addition, although not absolutely necessary, we have attached extra value to theories which are mathematically “elegant”.

The topic of classical electromagnetism, and the very important subset of electromagnetic wave propagation, certainly qualifies as an eminently “superb theory”, to use the labeling of C. Penrose [1]. Despite the lack of any apparent building block unit (within the classical domain), the theory has exhibited unsurpassed predictive capabilities. In addition, the classical electromagnetic theory (essentially, Maxwell’s Equations) has forged very successful links with other theories, such as quantum electrodynamics and relativity. We then raise the issue as to whether physical building blocks exist in the realm of wave propagation, including the classical regime? The use of the word “classical” would appear to contradict such an idea from the very outset. In this regard, we cannot point to any fundamental unit, or building block, except for its connections to quantum theory; in particular, the electromagnetic energy is quantized, with the elementary energy unit existing as a photon. In our discussion, however, we will forego the use of any units derived from quantum theory, assuming instead that the wavelength is relatively long and that the wave propagation remains in the classical regime.

Despite the lack of any apparent physical building block, we nevertheless proceed with the discretization of wave propagation phenomena. *Indeed, the discretization process, applied to the electromagnetic propagation medium, forms the basis of this book.* In view of the comments of the preceding paragraph, however, there are valid questions as to where and how the discretization process is to be introduced in the area of electromagnetics. In

what follows we will imagine the propagation medium to be completely divided up into identical cells (for a given propagation velocity), with the electromagnetic energy confined to *transmission lines*, or “tracks”, which separate the cells. Rather than relying on a fundamental building block derived from physics, the basic unit selected will be a mathematical one. The selection of the cell size is arbitrary, but we insist of course that as we reduce the size of the cell that the solution reduces to that of solving Maxwell’s wave equation (including the effects of conductivity). We reiterate that the cell (and the cell size) is not an, irreducible, fundamental unit, but rather selected on the basis of mathematical convenience. The method is closely linked to numerical solutions of Maxwell’s wave equation.

In view of the previous comments, a question which immediately comes to mind is the following: is it worthwhile to re-introduce an old theory, dressed in new clothing, with an accompanying computer code for solving Maxwell’s Equations? The answer is affirmative, and for two reasons. First, the transmission line method offers an extremely intuitive means for dealing with a wide assortment of electromagnetic propagation problems. Equilibrium, transient conductivity, and antenna problems are readily amenable to this method. From the outset a particular problem is viewed as a transmission line grid, rather than a purely numerical grid. Secondly the method provides an opportunity to discretize the propagation region, which can offer many new insights and may also be useful as a bridge to examine small scale effects when the cell size is allowed to shrink further in size, leaving behind the classical regime.

Hopefully this book will fill a niche not presently satisfied by two related types of books. The first type, stressing numerical methods for solving electromagnetic problems, lacks any appeal to physical intuition; very often the physics of electromagnetic propagation is lost because of the morass of mathematical detail, or the result of a physically unmotivated computer code. The second type of book, stressing transmission line techniques, has the desired physical appeal but is inadequate for solving two and three dimensional electromagnetic problems. This book bridges the gap between the two subject areas, illuminating the features common to both methods. Following the extensions and modifications to the transmission line theory, the model is applied to several illustrative electromagnetic problems. The book should have special

appeal among electrical engineers and scientists involved with electromagnetic propagation and wideband transmitters/antennas. Although some background in transmission line theory is desirable, it is not essential since the needed background is provided.

What are some of the practical applications of the transmission line method? As alluded to in the previous paragraph, the method is particularly well suited for designing ultra -wideband or short pulse transmitters/ antennas. *The future will witness an inexorable drive to expand the bandwidth of transmitters/antennas, driven by the relentless needs of the information age.* Engineers and scientists will need a more sophisticated understanding of picosecond devices, and its interaction with the environment, and will require computer codes capable of accurately describing such situations. The transmission line method should provide the engineer with the analytic and software tools necessary for dealing with this new technology. Besides laying the foundation for the transmission line method, the book also provides examples of computer codes which illustrate the transmission line technique. The code for the two dimensional solution of a photonic switch is provided as an example.

The Chapters, outlined in the following, contain a fair amount of “new” material. We enclose new in quotes since the basic assumptions, embodied in Maxwell’s Equations and elementary symmetry arguments, always represent the starting point. In most cases, however, the results are straightforward extensions of transmission line theory.

In this book we will deal almost exclusively with transmission lines situated on the borders of cubical cells(or squares, in the case of 2D), mainly as a matter of convenience. Neat geometrical cells, such as squares or cubes, are more amenable to mathematical analysis, and this is the primary reason for adopting such cells. Other cell geometries are possible, and in fact random irregularly shaped cells may be more appropriate, as we shall see. In any event the transmission line approach leads to an iterative solution of Maxwell’s equations, which in turn may be translated into computer code.

Chapter I begins with a discussion of the many types of electromagnetic problems one can solve using transmission line matrix (TLM) techniques, whether they involve antennas, ultra-wideband sources, or even static potential problems. This is followed by a review of basic TLM theory, starting with the

well documented, exact correspondence of the one dimensional wave equation and the transmission line solution. Once one ventures into two and three dimensions, however, the correspondence between the wave equation and the TLM matrix is not as apparent. Chapter I addresses these issues, pointing out the close relationship between standard numerical methods and the TLM matrix. Mathematically, we will see that the TLM method may be regarded as a particular type of finite difference method. Besides applications to electromagnetic propagation and other branches of applied physics, more flexible versions of the TLM matrix may be used to describe other diverse phenomena, for example, the modelling of neurological activity. In Chapter II the geometries and notation adapted for the TLM matrix are discussed. In many ways they are similar to the symmetry elements used to describe solid state crystals, in which the unit cells occupy the entire space. A systematic procedure for mapping the electromagnetic properties onto the TLM matrix, i.e., the transmission lines and the nodes, is discussed. Once the basic framework is established, Chapter III examines the electromagnetic scattering equations for one, two, and three dimensions. The scattering equations are very important, of course, since they are the hub of any computer iteration used to describe electromagnetic propagation. In Chapter IV the TLM matrix is corrected for any plane wave properties which are usually present. The plane wave properties are studied by means of "correlations" between neighboring waves in adjacent transmission lines. This Chapter also deals with the inherent anisotropy present in the unit cells and the averaging procedures needed to remove this effect. Plane wave and anisotropy effects are often ignored in the standard numerical methods. Chapter V discusses the boundary conditions and dispersion. Dissimilar dielectrics, for example, will require different cell sizes, so the scattering at the interface becomes more complicated. The Chapter provides a systematic means for handling such boundary conditions. Embracing the effects of dispersion, as in Chapter V, does not involve any fundamental obstacle, but its incorporation does make great demands on computer requirements. The TLM method is typically aimed at solving purely electromagnetic problems, namely, fast transient phenomena. However the same TLM framework also may be used to incorporate other phenomena, such as carrier drift, recombination, and charge separation. Chapter VI addresses these issues. The main obstacle here is not so

much the difficulty in incorporating such effects, but once again the substantial demands placed on computer memory and speed, brought about by combining fast and slow phenomena. In Chapter VII, an illustrative example is selected. We outline a computer program, based on the TLM method, for finding the transient solution of a 2D semiconductor switch, whose conductivity is induced by a light source. In addition to the static solution (Laplace's solution), the transient electric field profiles and the charge distribution are obtained. The actual program is also provided, allowing readers to gain a better understanding of the transmission line method. Finally, in Chapter VIII, we utilize existing software, such as SPICE. Such software may be applied to the TLM method when only a limited number of cells is required. Aside from the cell number limitations, other limitations inherent in SPICE involve the neglect of plane wave behavior, grid anisotropy, non-uniform propagation regions, boundary conditions, etc... Nevertheless, elementary but useful solutions may be obtained with SPICE, particularly one dimensional problems, and to a lesser extent, 2D problems. Several SPICE examples are discussed, which include RF transformers and pulse sources, as well as a simple description of a semiconductor switch. For comparative purposes, we also derive several 1D results, applicable to RF transformers and the like, using the TLM formulation.

The author's interest in transmission line methods, for solving electromagnetic problems, stems from his long and fruitful association with the Army Research Laboratory (ARL), Fort Monmouth, NJ. The Author has benefited from many discussions with scientists and engineers at ARL, and in particular, wishes to thank his many colleagues at the Pulse Power Laboratory for their interest and suggestions. The topics discussed in this book were initiated as a way of analyzing very fast conduction processes in semiconductor, for use in fast pulse generation and ultra- wideband sources. The author is presently with United Silicon Carbide Corp. in New Jersey.

REFERENCES

1. Penrose, R (1989), *The Emperor's New Mind*, Oxford University Press.

CONTENTS

I.	INTRODUCTION TO TRANSMISSION LINES AND THEIR APPLICATION TO ELECTROMAGNETIC PHENOMENA	1
1.1	Simple Experimental Example.....	4
1.2	Examples of Impulse Sources.....	6
1.3	Model Outline.....	10
1.4	Application of Model for Small Node Resistance.....	19
1.5	Transmission Line Theory Background.....	20
1.6	Initial Conditions of Special Interest.....	25
	One Dimensional TLM Analysis. Comparison with Finite Difference Method	
1.7	TLM Iteration Method.....	27
1.8	Reverse TLM Iteration.....	29
1.9	Example of Reverse Iteration for Non-Uniform Line.....	32
1.10	Derivation of Scattering Coefficients for Reverse Iteration.....	32
1.11	Complete TLM Iteration (Combining Forward and Reverse Iterations).....	36
1.12	Finite Difference Method . Comparison with TLM Method.....	36
	Two Dimensional TLM Analysis. Comparison with Finite Difference Method	
1.13	Boundary Conditions at 2D Node.....	40
1.14	Static Behavior About 2D Node.....	43
1.15	Non-Static Example: Wave Incident on 2D Node.....	44
1.16	Integral Rotational Properties of Field About the Node.....	47
1.17	2D TLM Iteration Method for Nine Cell Core Matrix.....	52
1.18	2D Finite Difference Method . Comparison With TLM Method.....	56

Appendices

1A.1 Effect of Additional Paths on Weighing Process	64
1A.2 Novel Applications of TLM Method. Description of Neurological Activity Using the TLM Method.....	67
II. NOTATION AND MAPPING OF PHYSICAL PROPERTIES.....	72
2.1 1D Cell Notation and Mapping of Conductivity and Field.....	74
2.2 Neighboring 1D Cells With Unequal Impedance.....	78
2.3 2D Cell Notation. Mapping of Conductivity and Field	81
2.4 3D Cell Notation. Mapping of Conductivity and Field	89
Other Node Controlled Properties	
2.5 Node Control of 2D Scattering Coefficients Due to Finite Node Resistance.....	97
2.6 Simultaneous Conductivity Contributions.....	98
2.7 Signal Gain.....	99
2.8 Signal Generation. Use of Node Coupling.....	100
2.9 Mode Conversion.....	105
Example of Mapping:Node Resistance in a Photoconductive Semiconductor	
2.10 Semiconductor Switch Geometry (2D).....	105
2.11 Node Resistance Profile in Semiconductor.....	109
III. SCATTERING EQUATIONS.....	112
3.1 1D Scattering Equations.....	113
3.2 2D Scattering Equations.....	116
3.3 Effect of Symmetry on Scattering Coefficients.....	125
3.4 3D Scattering Equations: Coplanar Scattering.....	128
General Scattering, Including Scattering Normal to Propagation Plane	
3.5 Equivalent TLM Circuit. Quasi-Coupling Effect.....	137
3.6 Neglect of Quasi-Coupling.....	139
3.7 Simple Quasi-Coupling Circuit: First Order Approximation.....	141
3.8 Correction to Quasi-Coupling Circuit: Second Order Approximation	145
3.9 Calculation of Load Impedance with Quasi-Coupling	148

3.10 Small Coupling Approximation of Second Order Quasi-Coupling.....	150
3.11 General 3D Scattering Process Using Cell Notation.....	152
3.12 Complete Iterative Equations.....	164
3.13 Contributions of Electric and Magnetic Fields to Total Energy.....	166
Plane Wave Behavior	
3.14 Response of 2D Cell Matrix to Input Plane Wave.....	168
3.15 Response of 2D Cell Matrix to Input Waves With Arbitrary Amplitudes.....	178
3.16 Response of 3D Cell Matrix to Input Plane Wave	179
3.17 Response of 3D Cell Matrix to Input Waves With Arbitrary Amplitudes.....	183
Appendices	
3A.1 3D Scattering Equations With Both Coplanar and Aplanar Contributions.....	185
3A.2 3D Scattering Coefficients With Both Coplanar and Aplanar Contributions	187
3A.3 3D Scattering Coefficients in Terms of Circuit Parameters.....	189
IV. CORRECTIONS FOR PLANE WAVE AND ANISOTROPY EFFECTS.....	
4.1 Partition of TLM Waves into Component Waves.....	194
4.2 Scattering Corrections for 2D Plane Waves: Plane Wave Correlations Between Cells.....	196
4.3 Changes to 2D Scattering Coefficients.....	203
Corrections to Plane Wave Correlation	
4.4 Correlation of Waves in Adjoining Media With Differing Dielectric Constants.....	206
4.5 Modification of Wave Correlation Adjacent a Conducting Boundary ...	207
Decorrelation Processes	
4.6 De-Correlation Due to Sign Disparity of Plane and Symmetric Waves	211
4.7 Minimal Solution Using Differing Decorrelation Factors to Remove Sign Disparities	222

4.8 Non-Essential De-Correlation Caused by Simultaneous Presence of Forward and Backward In-Line Plane Waves With Same Polarity ..	226
4.9 De-Correlation Treatment of Plane Waves Incident on Dielectric Interface.....	230
4.10 Comments on Interaction of a Plane Wave Front and a Source Emitting Both Plane Wave and Symmetric Components	234
4.11 Summary of Correlation/Decorrelation Processes.....	235
Grid Orientation Effects	
4.12 Dependence of Wave Energy Dispersal on Grid Orientation.....	235
4.13 Transformation Properties Between Grids.....	239
Averaging Procedure Among Grids	
4.14 General Procedure and Grid Specification.....	242
4.15 Vector Description of Plane and Symmetric Waves.....	243
4.16 Energy Content of Plane and Symmetric Waves.....	246
4.17 Principal Axis Grid.....	247
4.18 Simple Averaging Example Without Plane Wave Effects.....	248
4.19 General Averaging Procedure Including Plane Wave Correlations..	249
4.20 Summary of Field Averaging Procedure.....	255
4.21 Averaging Procedure for Node Resistance.....	257
4.22 Comparison of Standard Numerical Methods and TLM Methods Incorporating TLM Correlations/Decorrelations and Grid Orientation ...	259
Appendices	
4A.1 3D Scattering Corrections For Plane Waves (Wave Correlations).....	260
4A.2 Consistency of Plane Wave Correlations With a Simple Quantum Mechanical Model.....	263
V. BOUNDARY CONDITIONS AND DISPERSION.....	266
5.1 Dielectric-Dielectric Interface.....	267
Node Coupling: Nearest Node and Multi-coupled Node Approximations	
5.2 Nearest Nodes for 1D Interface.....	275
5.3 Nearest Nodes at 2D Interface.....	276

5.4 Truncated Cell and Oblique Interface.....	278
5.5 Single Index Cell Notation	280
5.6 Simplified Iteration Neglecting the Nearest Node Approximation...	283
5.7 Non-Uniform Dielectric. Use of Cluster Cells.....	283

Other Boundary Conditions

5.8 Dielectric- Open Circuit Interface.....	287
5.9 Dielectric - Conductor Interface.....	288
5.10 Input/Output Conditions.....	291
5.11 Composite Transmission Line.....	294
5.12 Determination of Initial Static Field By TLM Method.....	295
5.13 Time Varying Source Voltage and Antenna Simulation.....	299

Dispersion

5.14 Dispersion Sources.....	301
5.15 Dispersion Example.....	302
5.16 Propagation Velocity in Terms of Wave Number	306
5.17 Dispersive Properties of Node Resistance.....	306
5.18 Node Resistance in Terms of Wave Number	307
5.19 Anomalous Dispersion.....	308

Incorporation of Dispersion into TLM Formulation

5.20 Dispersion Approximations.....	309
5.21 Outline of Dispersion Calculation Using the TLM Method.....	310
5.22 One Dimensional Dispersion Iteration.....	311
5.23 Initial Conditions With Dispersion Present.....	322
5.24 Stability of Initial Profiles With Dispersion Present.....	323
5.25 Replacement of Non-Uniform Field in Cell With Effective Uniform Field.....	329

Appendices

5A.1 Specification of Input/Output Node Resistance to Eliminate Multiple Reflections	330
---	-----

VI. CELL DISCHARGE PROPERTIES AND INTEGRATION OF TRANSPORT PHENOMENA INTO THE TLM MATRIX.....

6.1 Charge Transfer Between Cells.....	334
6.2 Relationship Between Field and Cell Charge.....	337

6.3 Dependence of Conductivity on Carrier Properties.....	341
Integration of Carrier Transport Using TLM Notation	
Changes in Cell Occupancy and its Effect on TLM Iteration	
6.4 General Continuity Equations.....	342
6.5 Carrier Generation Due to Light Activation.....	343
6.6 Carrier Generation Due to Avalanching: Identical Hole and Electron Drift Velocities.....	344
6.7 Avalanching With Differing Hole and Electron Drift Velocities.....	346
6.8 Two Step Generation Process	350
6.9 Recombination.....	351
6.10 Limitations of Simple Exponential Recovery Model.....	353
6.11 Carrier Drift.....	353
6.12 Cell Charge Interaction.Equivalence of Drift and Inter-Cell Currents ,	357
6.13 Carrier Diffusion	361
6.14 Frequency of Transport Iteration.....	363
6.15 Total Contribution to Changes in Carrier Cell Occupancy.....	364
VII. DESCRIPTION OF TLM ITERATION.....	366
7.1 Specification of Geometry	366
7.2 Description of Inputs and TLM Iteration Outline.....	372
7.3 Output Format.....	377
Output Simulation Data	
7.4 Conditions During Simulation.....	379
7.5 Behavior During Charge-up.Establishment of Static Field Profile...	380
7.6 Node Resistance $R(n,m)$ During Activation.....	386
7.7 Output Pulse When Semiconductor is Activated.....	391
7.8 Node Recovery and its Effect on Output Pulse.....	394
7.9 Steady State and Transient Field Profiles.....	396
7.10 Partial Activation of Nodes and Effect on Profiles and Output.....	399
7.11 Cell Charge Following Recovery.....	402
7.12 Role of TLM Waves at Charged Boundary.....	405
7.13 Comparison of Possible Boundary Conditions at the Semiconductor/Dielectric Interface	407

7.14 Simulation Results for Boundary with Non-Integral
Nearest Nodes.....408

7.15 Comparison of Output With and Without Matched
Input /Output Lines 411

7.16 Simulation of Plane Wave Effects. Effect of Alternating Input413

Appendices

7A.1 Discussion of Program Statements for Semiconductor Switch.....418

7A.2 Program Statements..... 426

7A.3 Program Changes for Arbitrary Dielectric Constant, Cell
Density, and Device Size..... 442

7A.4 Field Decay in Semiconductor Using the TLM Formulation..... 444

VIII. SPICE SOLUTIONS..... 450

8.1 Photoconductive Switch..... 451

8.2 Traveling Wave Marx Generator..... 455

8.3 Traveling Marx Wave in a Layered Dielectric..... 460

8.4 Simulation of a Traveling Marx Wave in a Layered Dielectric..... 462

**Pulse Transformation and Generation Using Non-Uniform
Transmission Lines**

8.5 Use of Cell Chain to Simulate Pulse Transformer 467

8.6 Pulse Transformer Simulation Results 470

8.7 Pulse Sources Using Non-Uniform TLM Lines (Switch at Output) 472

8.8 Radial Pulse Source (Switch at Output) 473

8.9 Pulse Sources With Gain (PFXL Sources) 476

Darlington Pulser

8.10 TLM Formulation of Darlington Pulser 481

8.11 SPICE Simulation of Lossy Darlington Pulser 485

Appendices

8A.1 Introduction to SPICE Format 488

8A.2 Discussion of Format for Photoconductive Switch 488

8A.3 TLM Analysis of Leading Edge Pulse in a Transformer 496

8A.4 TLM Analysis of Leading Edge Wave in PFXL 499

INDEX507