ERRATUM

THE WHEELER–DEWITT EQUATION FOR THE HETEROTIC SUPERSTRING THEORY INCLUDING TERMS QUARTIC IN THE RIEMANN TENSOR

[*Int. J. Mod. Phys. D* **4** (1995) 305]

M. D. POLLOCK

*V. A. Steklov Mathematical Institute,
 Russian Academy of Sciences,
 Ulitsa Gubkina 8, Moscow 119991, Russia
 mdp30@cam.ac.uk*

Received 30 March 2012

Accepted 2 April 2012

Published 18 May 2012

The following are corrections to errors in the published paper:

- (1) On p. 308, Eq. (10) should read

$$G = G_0[1 - 15\zeta(3) \bar{\chi}/16\lambda B_r^3]^{-1}$$

- (2) On p. 313, in Eq. (38), on p. 314, in Eqs. (39) and (41), and on p. 315, in Eq. (44), the sign of the term in (C_4/B_2^3) , printed as +, should read –.
 (3) On p. 315, the Eq. (46) printed as

$$A_2 = \frac{1}{3}M^2(M - 3)B_N$$

should read

$$A_2 = \frac{1}{3}M^3(M - 3)B_N$$

- (4) On p. 316, in Eq. (47), printed as $-\frac{1}{32}[\dots]$, should read $+\frac{1}{32}[\dots]$.
 (5) On p. 317, Eq. (56), printed as

$$\hat{L}_2 = \frac{1}{7}M^2(M - 3)(2M - 5)\dot{\alpha}^8 + \dots$$

should read

$$\hat{L}_2 = \frac{1}{7}M^2(2M - 3)(M - 7)\dot{\alpha}^8 + \dots$$

(6) On p. 318, Eq. (62) should read

$$\hat{L}_1 - 2\hat{L}_2 + \frac{l}{6}\hat{L}_3 = \frac{1}{42}M(M-7)[M(M+1)(M-3) - 6(4M^2 - 3M - 3)]\hat{\alpha}^8 + \dots$$

(7) On p. 318, Eq. (64) should read

$$A_4 = \frac{1}{672}M(M-7)\left\{\left[M(M+1)(M-3) - 6(4M^2 - 3M - 3) - \frac{1}{32}M^3[(M+1)(M^2 - 4M + 18) - 6]\right]\zeta(3) + \frac{3}{128}M(M-7)\right\}A_r^3\alpha'^3\kappa_D^{-2}$$

(8) On p. 318, Eq. (65) should read

$$A_4 = \frac{1}{224}\left[3,033\zeta(3) + \frac{9}{2}\right]A_r^3\alpha'^2 \approx 16.3 A_r^3\alpha'^2$$

(9) On p. 324, in Eq. (B10), printed as

$$-\frac{4}{7}M^2(M-7)(M-1)$$

should read

$$-\frac{4}{7}M^2(M-7)(M+1).$$